

Product Details

SGMY17081204
 80mm
 80mm
 103mm
 205 g
 370 ml

82x65x20 mm
 83g
 MOQ 1200
 7
 7

*
 *
 1. 24/36/48/72
 2. /
 3.
 4.
 5. /
 6.

* 3mm
 * 20

* 24
 *
 *
 *
 *
 * QC
 AQL
 * 15
 *

More Product Pictures





Office & Sample Room

Sunny Glassware 1992

[Sunny Glassware](#)

1. FDA
2. QC
3. 0.5-1



□□□□



Test Report

No.: GZ0806114365/CHEM

Date: JUL 02 2008

Page 1 of 4

SHANXI SUNNY GLASSWARE FACTORY SHENZHEN OFFICE
RM 204, BAOHU BUILDING, DONGHU ROAD, LUOHU DISTRICT, SHENZHEN, GUANGDONG, CHINA

The following sample(s) was/were submitted and identified on behalf of the applicant as Coffee glass


SGS Ref No.	: SZ11126876
Buyer	: TEDI
Manufacturer	: SHANXI SUNNY GLASSWARE FACTORY
Country of Origin	: CHINA
Country of Destination	: GERMANY
Sample Receiving Date	: JUN 26, 2008
Testing Period	: JUN 26, 2008 TO JUL 02 2008

Test Requested : In accordance with German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30 & DIN 51032:1986.

Test Method : With reference to EN 1388: 1995.
Analysis was performed by Inductively Coupled Argon Plasma Spectrometry.

Conclusion : When tested as specified, the submitted sample(s) do not comply with the limit as stated the German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30.

Signed for and on behalf of
SGS-CSTC Ltd.


Wang HongLei, Leo
Sr. Engineer



This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects only the findings as the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not generate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested. This document cannot be reproduced except in full, without prior approval of the Company.



SGS S.p.A. - Via Sesto San Giovanni 151 - 00146 Roma - Italy
 SGS (Shanghai) Technical Services Co., Ltd.
 181 Kefu Road (Sierford Park) Guangzhou Economic & Technology Development District, Guangzhou, China 510663
 中国·广州·经济技术开发区科学城科韵路198号
 电话: 86-(0) 20 82155555 | 86-(0) 20 82075125 | www.cn.sgs.com
 86-(0) 20 82155555 | 86-(0) 20 82075125 | sgs.china@sgs.com
 Member of the SGS Group (SGS SA)

